


## Simple Operation

The conductive-polymer technology and fluoropolymer construction make EcoLeak sensing cable mechanically strong and resistant to corrosion and abrasion. The cable is constructed of two sensing wires embedded in a fluoropolymer carrier rod. The alarm module constantly monitors the sensing cable for continuity. The rugged cable construction exposes no metal, and enables the cable to be dried within seconds and re-used.



## Technical Information

<b>Breaking strength</b>	<b>Cable only: 72 kg</b> <b>Including connectors: 32 kg</b>
<b>Cut-through force</b>	>22 kg with 0.13 mm in blade; crosshead speed 0.2 in/min
<b>Abrasion resistance</b>	>65 cycles per UL 719
<b>Maximum continuous operating temperature</b>	75°C
<b>Connection</b>	<b>2 Pin, Male, Modular connector (not compatible with TraceTek 4 pin connectors)</b>



## Product Characteristics

**Cable diameter Continuity and signal wires Sensing wires Core** 2524 AT-BJC-50 Bulk Jumper Cable, 4 core, LSF, 50m reel

**End of line resistor** Factory fitted (82kΩ) not extendable.

**Cable weight** 15 m length, 1 kg

**Cable colour** Black

## Performance Data

**Leak size to alarm** 50 mm (2") maximum at any point along sensing cable (tap water)

**Drying time** Cable dries and resets within 15 seconds of removal from standing water.

**Standard cleaning method** Wipe with clean damp cloth

## Ordering Information

**Catalogue number** 6600 EL-SC-1 EcoLeak Sensing Cable - 1m

6605 EL-SC-3 EcoLeak Sensing Cable - 3m

6610 EL-SC-5 EcoLeak Sensing Cable - 5m

6615 EL-SC-10 EcoLeak Sensing Cable - 10m

6620 EL-SC-15 EcoLeak Sensing Cable - 15m

6625 EL-SC-20 EcoLeak Sensing Cable - 20m

6630 EL-SC-25 EcoLeak Sensing Cable - 25m

6635 EL-SC-30 EcoLeak Sensing Cable - 30m

## Ancillary Products

6124 Eco-1 EcoLeak Eco-1 Single zone alarm - 230Vac

6125 Eco-6 EcoLeak Eco-6 Six zone alarm Panel - 230Vac

6050 EL-LC-3 EcoLeak Leader Cable - 3m

6055 EL-LC-5 EcoLeak Leader Cable - 5m

6060 EL-LC-10 EcoLeak Leader Cable - 10m

6065 EL-LC-20 EcoLeak Leader Cable - 20m

6075 EL-LC-30 EcoLeak Leader Cable - 30m

6080 EL-LC-50 EcoLeak Leader Cable - 50m

## Important

All information, including illustrations, is believed to be reliable. Users, however, should independently evaluate the suitability of each product for their application.